SRI KONDA LAXMAN TELANGANA HORTICULTURAL UNIVERSITY

Administrative office, Mulugu (V&M), Siddipet District- Telangana

Weather Based Agromet Advisories for Telangana in Horticultural Crops

19-11-2026 to 25-11-2026

Weather during past Three Days

Dry weather has continued across Telangana over the past three days, and the intensity of the cold during nighttime is likely to increase slightly. The maximum temperatures were around 29°C**,** while the minimum temperatures were around 17°C**.**

Weather forecast for the next five days

During the next five days, Telangana will primarily experience rainfall and cloudy weather. A depression formed in the Bay of Bengal is the reason for these weather changes.
Moderate to heavy rainfall is likely in several districts, including Hyderabad and Khammam.
Overcast conditions will prevail, with a possibility of isolated light showers.
Average maximum temperature: 26-30°C
Average minimum temperature: 18-22°C

Day 1 (From: 19/11/2026 08:30 hrs to 20/11/2026 08: 30 hrs)

Light to Moderate Rain or Thundershowers very likely to occur at ISOLATED places over Telangana. Thunderstorm accompanied by Lightning with Gusty Winds of 30-40 kmph Very likely to occur at isolated places in Jayashankar Bhupalpally, Mulugu, Bhadradri Kothagudem, Khammam, Nalgonda, Suryapet, Mahabubabad, Warangal, Hanumakonda districts of Telangana

Day 2 (From 20/11/2026 08:30 hrs to 21/11/2026 08:30 hrs)

Light to Moderate Rain or Thundershowers very likely to occur at MANY places over Telangana. Heavy to Very Heavy Rainfall and Thunderstorm accompanied by Lightning with Squally Winds of 50-60 kmph gusting 70 kmph Very likely to occur at isolated places Very likely to occur at isolated places in Bhadradri Kothagudem, Khammam, Suryapet, Mahabubabad districts of Telangana. Thunderstorm accompanied by Lightning with Squally Winds of 40-50 kmph gusting 60 kmph Very likely to occur at isolated places in Mulugu, Nalgonda, Warangal, Hanumakonda, Jangaon, Yadadri Bhuvanagiri districts of Telangana. Heavy Rainfall very likely to occur at isolated in Mulugu, Nalgonda, Warangal, Hanumakonda, Jangaon, Yadadri Bhuvanagiri districts of Telangana. Thunderstorm accompanied with Lightning and Gusty Winds of 30-40 kmph Very likely to occur at isolated places in KomuramBheem Asifabad, Mancherial, Jagtial, Rajanna Sircilla, Karimnagar, Peddapalli, Jayashankar Bhupalpally, Siddipet, Rangareddy, Hyderabad, Medchal-Malkajgiri, Nagarkurnool districts of Telangana.

Day 3 (From: 21/11/2026 08:30 hrs to 22/11/2026 08:30 hrs)

Light to Moderate Rain or Thundershowers very likely to occur at MOST places over Telangana. Heavy to Very Heavy Rainfall and Thunderstorm accompanied by Lightning with Squally Winds of 50-60 kmph gusting 70 kmph Very likely to occur at isolated places Very likely to occur at isolated places in Jayashankar Bhupalpally, Mulugu, Bhadradri Kothagudem, Khammam districts of Telangana. Thunderstorm accompanied by Lightning with Squally Winds of 40-50 kmph gusting 60 kmph Very likely to occur at isolated places in Karimnagar, Peddapalli, Nalgonda, Suryapet, Mahabubabad, Warangal, Hanumakonda districts of Telangana. Heavy Rainfall very likely to occur at isolated in Karimnagar, Peddapalli, Nalgonda, Suryapet, Mahabubabad, Warangal, Hanumakonda districts of Telangana. Thunderstorm accompanied with Lightning and Gusty Winds of 30-40 kmph Very likely to occur at isolated places in Mancherial, Jagtial, Rajanna Sircilla, Jangaon, Siddipet, Yadadri Bhuvanagiri, Rangareddy, Hyderabad, MedchalMalkajgiri districts of Telangana.

Day 4 (From: 22/11/2026 08:30 hrs to 23/11/2026 08:30 hrs)

Light to Moderate Rain or Thundershowers very likely to occur at a FEW places over Telangana. Thunderstorm accompanied by Lightning with Gusty Winds of 30-40 kmph Very likely to occur at isolated places over Telangana.

Day 5 (From: 23/11/2026 08:30 hrs to 24/11/2026 08:30 hr)

Light to Moderate Rain or Thundershowers very likely to occur at ISOLATED places over Telangana.

VEGETABLES

- Post-Rain Management: Drain out any stagnant water from the fields immediately. To prevent root rot, drench the base of the plants with Copper Oxychloride (3 grams per liter of water).
- High humidity increases the incidence of mildew, fruit rot, and mites (leaf curl) in chilli crops To control fruit rot and leaf spot, spray Carbendazim + Mancozeb (2 grams per liter of water). Once the rains subside, spray Spiromesifen (1 ml per liter of water) or Dicofol (2.5 ml per liter of water) to control mites.
- Cabbage / Cauliflower: To prevent Black Rot, spray Copper Oxychloride (3 grams per liter of water).

- **Chilli** - Due to weather forecast, For monitoring of thrips, install blue sticky traps @ 30–40 traps per acre.Spray Pongamia oil @ 5 ml/L of water as a prophylactic measure, ensuring thorough coverage of tender leaves and flowers.

Fruits

- **Mango**
    - If Anthracnose leaf spot is observed, spray Carbendazim (1 g/L) or COC (3 g/L).
    - Spray Potassium Nitrate (13-0-45) @ 10 g/L or Monopotassium Phosphate (00-52-34) @ 10 g/L+ Boron@ 1.25g/L.
    - Stop Irrigation to the mango orchard till initiation of flowering.
- **Guava**
    - Collect and destroy the canker affected fruits, dried twigs and spray with lambda cyhalothrin @ 0.5-1.0 ml/lit + (Carbendazim + Mancozeb) @ 2g/L for control of damage by Tea mosquito bug.
    - To monitor fruit fly in guava, install methyl eugenol pheromone traps @ 8-10/acre.
- **Acid lime and Sweet orange -** In view of scanty rainfall or showers forecast, after cessation of rains, spray Imidacloprid 0.3 ml/litre of water in Citrus orchards as prophylactic measures to control the leaf miner.

PLANTATION, SPICES, MEDICINAL AND AROMATIC PLANTS

- **Turmeric and Ginger**
  - Adjust irrigation according to soil moisture. 2-3 irrigations for heavy soils and 3-5 irrigations to light soils can be given.

- **Oil palm**
  - As light to moderate rain is forecast over Telangana, avoid irrigation on rainy days and irrigate only based on actual rainfall received and soil-moisture conditions. Ensure proper drainage in oil palm fields to prevent water stagnation.
  - Apply 5 kg of urea, 3 kg of DAP and 10 kg of MOP per acre per month through fertigation during prevailing elnino conditions.

FLOWERS

- **Tuberose**
  - Blossom midge
    - Apply Three sprays of mix formulation of Thiamethoxam 12.6 % + Lambda-cyhalothrin 9.5 % ZC @ 0.5 ml/litre at 10 days interval starting from bud initiation stage.
    - Regular collection and destruction of midge infested buds.
  - Mealybugs
    - Apply three sprays of mix formulation of spirotetramat + imidachloprid @ 1ml/litre at 10 days interval.
    - Fix yellow sticky traps @ 40/acre.

- **Rose** - For the control of sucking pests such as thrips, apply alternate sprays of imidacloprid at 0.3 ml/L and fipronil at 2 ml/L.